



3 YEAR
WARRANTY

Roller Blinds

Cassette & Wire guide System


CASSETTE & WIRE GUIDE SYSTEM

- Available in 38mm single roller blind only.
- 200 min to 2400 max width
- 2,200mm max. drop
- Manual chain operation to roll up and down.
- 90mm x 90mm cassette head box in white only
- 20mm x 8mm flat base bar
- 2 piece 40mm x 20mm channel side guides
- Channel guides eliminate light gaps & keep the roller blind fabric stable. Suitable for windows;
 - Home theatre rooms
 - Windy areas.
 - Bedrooms to minimize blind movement & noise
- Not available in linked, or double or motorised

CASSETTE HEADBOX WITH CHANNEL GUIDES



Curved Cassette Head Box




Roller Cassette Brackets



Channel Guide with Front Cover Removed

WIRE GUIDED

- Available in 38mm single roller blind only.
- 200 min to 2400 max width
- 2,200mm max. drop
- Manual chain operation to roll up and down.
- Clear nylon wire guides
- Guides keep the roller blind fabric stable. Suitable for:
 - Windy areas
 - Open bedroom windows; to minimize blind movement & noise
 - Blinds mounted behind hinged glass doors
- Available with flat base bar only – fitted with end lugs
- Bottom bar light gaps
- REVEAL FIT: 20mm light gap due to the bottom cable bracket
- FACE FIT: extend blind drop by a minimum of 20mm below window sill




Wire Guide Brackets

FABRIC WAVE

Large roller blinds will show fabric wavering, this is because it is impossible to make a large piece of fabric hang perfectly flat. This generally appears on rollers with widths greater than 2000mm and/or drops greater than 3000mm.

Consider splitting the blind into two smaller widths and linking them together.




FABRIC PATTERNS

For a roller blind with a patterned fabric, the pattern grain won't usually line up perfectly with the horizontal or vertical edges of the blind. Expect to see a variation of up to a few centimeters along the pattern direction from one side of the blind to the other.




OVERALL MEASUREMENTS

It will be assumed that all the provided widths are 'opening size', factory takes all deductions unless make size specified.



LIGHT BLEED

All roller blinds allow light to pass around the sides of the fabric (even with blackout fabric). Consider using face fit as an option rather than reveal fit.



CUPPING

Roller blinds with blackout fabrics will usually show some cupping on each of the vertical edges. Cupping of up to a few centimeters will be considered within an acceptable allowance.

