




WINDOWORLD DÉCOR CUSTOM CURTAINS

Turnaround after confirmation – 15 working days.

White or Black Track in 3 different profiles:

- Series 79 Elite (Ideal for pleats, track can be bent)
- Series 51 Easy Glide (Ideal for S-Wave in both fits)
- Series 58 Elect (Not recommended for face fit or box pleat)



Single Track or Double Track Options in Wall or Ceiling Mount.

4 curtain styles; S-Wave, Double Pinch, Knife Pleat & Box Pleat.

S-Wave Single Curtain Projection Depth – 100mm.

S-Wave Double Curtain Projection Depth – 210mm.

A combination of S-Wave & any pleat can be used if the projection is less than 180mm for a Double Curtain.

Sheer will be Wand drawn; Blockout will be Hand Drawn with Hook & Ties supplied.

Any curtain with a width over 5.8mtr, will require the track to come with a joiner. Please notify where you would like the joiner, factory standard is the middle. Please note the Series 58 Elect & Series 79 Elite joiner is an external cover plate. Series 51 Easy Glide has an internal joiner not seen outside the track.

Any requests for drops over 2.8mtrs are to be emailed though, they'll be quoted & returned within 24 business hours.


Window Sizes – standard factory drop deductions is approximately 20mm.

MEASURING –

Decide whether the track will be mounted to the ceiling or the wall. Be mindful of your track placement and overall width. You may want to try and place as much of the open stack as possible onto the wall. This will free up your glass and allow for more view and natural light.


On a pleated curtain; the stack back width may be up to 25% of the track length. The stack back width for S-Wave curtains is approx. 30% the of the track length.

Standard quantity of brackets supplied; 1 at 100mm from either end with spacing approximately 800mm between them depending on the track width. If more are required, please make note on the order form under Special Requests Tab.




S-Wave Curtain – also known as “S-Fold”, is a modern look for curtains & by far the most popular currently. Its ripple-like folds create an astonishingly soft look, whether the fabric be sheer or blackout, which gives your window a homey, stylish appearance. Increasingly seen complementing other window furnishings. The track will always be shown above the curtain.

Double Pinch Pleat - consists of two shallow folds of fabric tacked at the base, repeated at intervals across the entire panel. It lends an air of old school quality and grandness, and looks great in many homes, especially those with large rooms or high ceilings.



Knife Pleat - create a very full curtain – one of the fullest possible, which can give a very strong softening effect. Sheers made up with knife pleat, being fuller, offer a little more privacy than other pleats. A very full sheer can have a lovely softening effect on sunlight coming in through the window, making your room feel cosier and more comfortable.

Box Pleat Curtain – made by folding away two equal folds of fabric from each other in opposite directions on the front of a length of fabric. The main aim of box pleat is to add fullness to a garment in a decorative way and it does so in minimal space.



CARE INSTRUCTIONS OF THE WCAA

CARE LABEL No: 3A - For use on pigment or solid coloured pigment cotton & linen fabrics. Remove hooks, rings & trims before cleaning. Gently vacuum with appropriate attachment. Warm machine wash. Do not rub or wring. Do not bleach. Do not tumble dry. Drip dry in shade. For best results hang curtains by their hooks to dry. Use warm iron lengthways. DO NOT DRYCLEAN ⊗ Possible shrinkage 3%

CARE LABEL No: 4 - For use on polyester/cotton, polyester mixture & polyester fabrics, woven or knitted. Remove hooks rings & trims before cleaning. Gently vacuum regularly with appropriate attachment. Warm hand wash. Do not bleach. Do not rub or wring. Drip dry in shade. For best results hang curtains by their hooks to damp dry immediately. Use warm iron. Dry cleanable P 50. Possible shrinkage 3%.

CARE LABEL No: 6W - For use on acrylic foam backed fabrics and flock coated fabrics of both man-made fibres and cotton. Regular care will minimize the need for additional cleaning. Gently vacuum with appropriate attachment. Always exercising caution when spot cleaning. Test cleaning on non-exposed surface. Avoid excessive rubbing and abrasion. Cleaning Washing: Possible shrinkage 3% Remove hooks, rings, and trims before cleaning. Curtains are heavy when wet. Professional wet cleaning recommended. DO NOT CLEAN IN DOMESTIC WASHING MACHINE! Hand wash in cool-to-warm (Max 40 degrees C). Mild detergents, such as wool mixes are recommended. Do not bleach, soak, rub or wring. Drip dry in shade. Do not tumble dry. Hang curtains by their hooks to avoid coated sides touching. Do not use pegs. Do not fold curtains over clothesline. Do not iron/press coated side. Warm iron/press on fabric side only. Drycleaning: DO NOT DRYCLEAN ⊗



INSTALLATION

The fabric & tracks will be supplied separately in plastic to ensure it is clean & presentable at installation. There will be a number on a piece of masking tape located at the top on the inside of the curtain, which can be peeled off after installation. The track will arrive with a corresponding number so there can be no confusion for what item belongs to which window on the order.

Install the brackets first; the factory suggests brackets 100mm from either end of the track, with regular spacing in between. If there is a heavy blackout curtain being installed, an extra bracket on the end to support the curtain when it's in the open position should be considered.

Fabric hooks will already be in the curtain tape and simply just need to find a track runner or hook in sequence to ensure the curtain is installed in a correct manner. For S-Fold Curtains, the hooks are typically placed in the curtain tape in a sequence of every 7th & 8th. To ensure the curtain is presented with an in & out wave manner, the lead runner should have the fabric coming from the window, which it will also return to at the stack end. Once every curtain hook has a track runner, simply fold the pockets in & out working your way from the open side for the wave effect. Sheers will be operated by a wand and can sit freely. They are to be clipped into the track with a runner between the lead and second runners.

Blockout curtains are to be pulled by the hand, too heavy for a wand. It will have a hook & tie back to hold the blind back when it is in the open position. The hook should be fixed into the side wall, with the tie back placed on the hook catching the fabric. The factory suggests the tie back to be fixed about 1200mm from the floor for regular ceiling height fixed curtains, or just below the midpoint for other sized windows. It is good practice to dress the blind once in the tieback, for final presentation to your customer. Any creases in fabric should wear out in the coming weeks as the curtain fabric hangs, and the sun hits the window. Ensure all tapes are removed off the curtain and track.

